(d) Other cities in India are also being provided computerised fault control and customer service centres progressively. These are likely to be completed during Eighth Plan.

Statement

Names of cities in the country where computerised telephone directory enquiry service is in operation.

1. Bombay
2. New Delhi
3. Calcutta
4. Madras
5. Lucknow
6. Hyderabad
7. Dindigul
8. Coimbatore
9. Ahmedabad
10. Ambala
11. Baroda
12. Faridabad
13. Pondicherry.
14. Vijayewada
15. Trichy
16. Ghaziabad
17. Kolhapur

Licence to Haldia Petro-Chemical Complex

1970. SHRI SUKOMAL SEN: Will the Ministry of INDUSTRY be pleased to state:

(a) what is the present position in regard to grant of licence to Haldia Petrochemical Complex in West Bengal;

(b) what are the reasons for delay in issuing the licence; and

(c) by when it is likely to be issued?

THE MINISTER OF INDUSTRY (SHRI J. VENGALRAO): (a) to (c) As far as the Ministry of Industry is concerned, the necessary approvals for the project including extension in the validity of the letter of intent and in the foreign collaboration approvals have been given from time to time.

The party are yet to apply for conversion of the letter of intent into an industrial licence.

Number of Telephone Connections

1971. SHRI H. HANUMANTHAPPA: Will the Minister of COMMUNICATIONS be pleased to state:

(a) the number of telephone connections working in urban and rural areas separately an on 1st January, 1989;

(b) the number of applications pending at present for new telephone connections in urban and rural areas separately; and

(c) by when the pending list is likely to be cleared?

THE MINISTER OF STATE IN THE MINISTRY OF COMMUNICATIONS (SHRI GIRIDHAR GOMANGO): (a) Working connections as on 1-1-89
Urban about 34.84 lakh
Rural about 4.72 lakh.

(b) Waiting list as on 1-1-1989
Urban about 13.50 lakh
Rural about 1.24 lakh.

(c) Present waiting list is likely to be cleared within the Eighth Plan period (1990–95).

डबल बोटल कनेक्शनों का जारी किया जाना

1972. **श्री सुनील कुमार पट्टनायक:** क्या **पेट्रोलियम और प्राकृतिक गैस** मंत्री यह बताने की कृपा करेंगे कि:

(क) क्या यह सच है कि वर्ल्डट्रेड सेटर, नई दिल्ली स्थित इंडियन आयल कारपोरेशन लिमिटेड के कर्मचारियों के कहने पर तो एल. पी. जी. के डबल बोटल कनेक्शन जारी किये जा रहे हैं जबकि उनके द्वारा महत्वपूर्ण व्यक्तियों या सांसदों के पत्रों पर डबल कनेक्शन जारी करने पर प्रतिबन्ध लगाया जाता है और उनके पत्रों/प्रपत्रों को वे रद्द कर देते हैं;

(ख) यदि हां, तो उसके क्या कारण हैं, और यदि